

MONUMENT RECORD
State of Indiana - County of Monroe

Section: 34

Township: 7 North


Range: 1 East

Corner ID: Polk O-23

Monument Description & Remarks: 3" diameter Aluminum cap, "T7N R1E, C1/4 S.34, 1983".
Survey Sign 4ft above ground at pt. B

References On File: Land Corner Record, U.S.D.A. Forest Service Mounment (1984), on file in
Surveyor Office

RECOVERY TIE DRAWING
Field Book 41 Page No. 31



A - 3" diameter Aluminum cap

B - S 84° E 1.25' to Survey
Sign on metal fence post

C - S 64° E 24.07' to MAG
nail in 18" White Oak

D - S 70° W 32.35' to MAG
nail in 10" White Pine


Not To Scale
Compass Bearing Magnetic North

I, Kevin P. Enright, Monroe County Surveyor, hereby certify that this document was prepared under my direction in accordance with the provisions of section 36-2-12-11 of the Indiana Code; and the above data is given under my hand and seal this 27th day of August, 2008.

Kevin P. Enright

Administered by the Monroe County Surveyor Review Board

Date: 10/7/2008



Index No. X15
(Alphabetical - Numerical)LAND CORNER RECORD
(RECTANGULAR SURVEYS)

R9-7100-74 (Rev. 5/80)

T. 7N R. 1E 2ND Mer. N.F. HOOSIER County MONROE State INDIANA
CENTER 1/4 Corner common to sections 34 and _____

EXISTING SURVEYS

Original Government Survey

Year surveyed _____
Original monument _____
(Wood post, stone, pile of stones, pipe, etc.)

Bearing Trees

Species _____
Diameter _____
Bearing _____
Distance _____

Subsequent Corner Restoration

Year surveyed _____ By _____
Where filed or recorded _____
Monument _____
(Original, concrete post, iron rod, etc.)

Bearing Trees, Reference Objects

Species _____
Diameter _____
Bearing _____
Distance _____

Original Evidence Found

Year of search _____ By _____
Monument found _____


Original Bearing Trees Found

Species _____
Diameter _____
Bearing _____
Distance _____

Evidence of Subsequent Corner Restoration Found

Year of search 1984 By _____

Bearing Trees, Reference Objects



Sketch

○ Corner  F.S. Land

Relation of Evidence to Record Features Along Section Lines

Section line to sections _____
 Object _____
 Record distance _____
 Measured distance _____

Other Evidence

Describe evidence of use and occupation such as roads, fences, clearings, timber cutting lines, plantations, etc.. Cite source of testimony if any. A WHITE PINE PLANTATION IS 30' SOUTH. A TWIN B. OAK 29" x 20" IS N 25° W 4.8' FROM MONUMENT. A 2" x 10" x 14" STONE SCRIBED '14' FOUND 8.76' N 57° W FROM MONUMENT POSITION WAS BURIED BESIDE IT. CORNER IS ON A N.E. SLOPE

At time of search:

1. Did you have the record description?

Yes _____ No _____

2. How was search area located?

Pacing, chaining, photos, maps, etc. _____

3. Man hours spent in search _____

4. Do you think additional search might recover evidence? Yes _____ No _____

5. Signature Robert J. Stone

Perpetuation Record

Monument and accessories established. Include brief description of area. A 36" ALUMINUM, CONCRETE FILLED PIPE WITH A 3" DIA. ALUMINUM CAP WAS SET FOR THE CORNER MONUMENT. A SMALL ROCK CAIRN WAS BUILT AROUND IT AND PAINTED RED THE FOLLOWING BEARING TREES WERE ESTABLISHED:

W. OAK	B. OAK	W. Pine
11"	5"	6"
S 66° E	S 22° W	S 68° W
25.1	21.3	32.9

Certified corner restoration certificate prepared: Yes _____ No _____
 Filled in county records at _____ Date _____ County Document No. _____
 Identified on aerial photo No. _____ Which is filed at _____